



PRODUCT DESCRIPTION

Ready to use in minutes, the FFT series Firefighter tent is the ideal solutions for all emergencies. It is durable and can be use efficiently in difficult terrain conditions. Sönmez FFT fire tents are reliable and provide easy logistics.

Quick assembly, practical assembly with minimal labor, integrated modular design. Quick and practical maintainance with repair kit, natural ventilation with the window feature, maximum protection, isolation, wide accessories thanks to the floor tarpaulin.

PRODUCT DETAILS

STRUCTURE

Made of double sided PVC coated polyester fabric. Fabric is 1000 gr/mt². Beams are fixed to the floor. It has easy installation and portability. Depending on the size of tent, installation takes between 4-7 minutes. Balances the high pressure in structure with relief valve.

TENT COVER

Made of double sided PVC coated polyester fabric. Fabric is 650 gr/mt². It is fire retardent, waterproof and mold-resistant material.

FABRIC SPRECIALITY

Double sided PVC coated polyester fabric. Fabric is 650 gr/mt².

USAGE AREAS


Fire Bridge, Civil Defence, Field Hospital, First Aid Points, Decontaminations and Hazardaous Material Operations, Police and Gendarmarie, Wheatherproof Shelters for Workshops, United Nations, Humanitarian Aid Organizations

COLOURS





FFT 22



Base Area	22 m ²
Eave Height	2.20 m
Ridge Height	3.10 m
Width	5.60 m
Length	4.00 m
Door Width	1.80 m
Door Height	2.00 m
Pipe Diameter	Ø 26 cm
Air Pressure	0.30 bar
Package Dimensions	150x80x80
Weight	150 KG



FFT 30



Base Area	30 m2
Eave Height	2.20 m
Ridge Height	3.10 m
Width	5.60 m
Length	5.50 m
Door Width	1.80 m
Door Height	2.00 m
Pipe Diameter	Ø 30 cm
Air Pressure	0.30 bar
Package Dimensions	140x115x115
Weight	175 KG



FFT 42



Base Area	42 m ²
Eave Height	2.20 m
Ridge Height	3.10 m
Width	5.60 m
Length	7.50 m
Door Width	1.80 m
Door Height	2.00 m
Pipe Diameter	Ø 30 cm
Air Pressure	0.30 bar
Package Dimensions	150x120x120
Weight	230 KG



FFT 56



Base Area	56 m2
Eave Height	2.20 m
Ridge Height	3.10 m
Width	5.60 m
Length	10.0 m
Door Width	1.80 m
Door Height	2.00 m
Pipe Diameter	Ø 30 cm
Air Pressure	0.30 bar
Package Dimensions	180x120x120
Weight	270 KG

